Federal Way Link Extension

Draft Environmental Impact Statement

CONCEPTUAL DESIGN DRAWINGS

Appendix F



Contents

SR 99 Alternative: pp. 1-25

S 216th West Station Option: pp. 26-31 S 216th East Station Option: pp. 32-36

Kent/Des Moines SR 99 Median Station Option: pp. 37-42

Kent/Des Moines SR 99 East Station Option: pp. 43-49

Kent/Des Moines HC Campus Station Option: pp. 50-57

Kent/Des Moines HC Campus Station Option from S 216th West Station Option: pp. 58-63

S 260th West Station Option: pp. 64-71

S 260th East Station Option: pp. 72-78

S 272nd Redondo Trench Station Option: pp. 79-88

Federal Way SR 99 Station Option: pp. 89-93

I-5 Alternative: pp. 94-118

Kent/Des Moines At-Grade Station Option: pp. 119-124

Kent/Des Moines SR 99 East Station Option: pp. 125-130

Landfill Median Alignment Option: pp.131-134

Federal Way I-5 Station Option: pp. 135-138

Federal Way S 320th Park-and-Ride Station Option: pp. 139-143

SR 99 to I-5 Alternative: pp. 144-151

I-5 to SR 99 Alternative: pp. 152-160

S 260th West Station Option: pp. 161-163

Federal Way Link Extension F-1










DRAFT EIS CONCEPTUAL DESIGN SR 99 ALTERNATIVE

APRIL 2015



SHEET KEY


SR 99 ALTERNATIVE
S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)
S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)
KENT/DES MOINES HC CAMPUS STATION OPTION
KDM HC CAMPUS STATION OPTION FROM S 216TH WEST STATION OPTION
KENT/DES MOINES SR 99 EAST STATION OPTION
KENT/DES MOINES SR 99 MEDIAN STATION OPTION
S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)
S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)
S 272ND REDONDO TRENCH STATION OPTION
FEDERAL WAY SR 99 STATION OPTION

PROJECT LOCATION MAP

FJS


Drawing No.	Sheet Title
	SR 99 ALTERNATIVE
SR99-A00-GX00	COVER SHEET
SR99-A00-GX01	SHEET INDEX
SR99-A00-GX02	SHEET INDEX KEYMAP
SR99-A1-PP01	TRACK PLAN AND PROFILE STA 7+25 TO STA 30+00
SR99-A2-PP02	TRACK PLAN AND PROFILE STA 30+00 TO STA 56+00
SR99-A3-PP03	TRACK PLAN AND PROFILE STA 56+00 TO STA 82+00
SR99-A4-PP04	TRACK PLAN AND PROFILE STA 82+00 TO STA 108+00
SR99-A5-PP05	TRACK PLAN AND PROFILE STA 108+00 TO STA 134+00
SR99-A6-PP06	TRACK PLAN AND PROFILE STA 134+00 TO STA 160+00
SR99-A7-PP07	TRACK PLAN AND PROFILE STA 160+00 TO STA 186+00
SR99-A8-PP08	TRACK PLAN AND PROFILE STA 186+00 TO STA 212+00
SR99-A9-PP09	TRACK PLAN AND PROFILE STA 212+00 TO STA 238+00
SR99-A10-PP10	TRACK PLAN AND PROFILE STA 238+00 TO STA 264+00
SR99-A11-PP11	TRACK PLAN AND PROFILE STA 264+00 TO STA 290+00
SR99-A12-PP12	TRACK PLAN AND PROFILE STA 290+00 TO STA 316+00
SR99-A13-PP13	TRACK PLAN AND PROFILE STA 316+00 TO STA 342+00
SR99-A14-PP14	TRACK PLAN AND PROFILE STA 342+00 TO STA 368+00
SR99-A15-PP15	TRACK PLAN AND PROFILE STA 368+00 TO STA 394+00
SR99-A16-PP16	TRACK PLAN AND PROFILE STA 394+00 TO STA 419+15.90
FWLE SR99 AP009	KENT DES MOINES SR99 WEST STATION - SITE PLAN
<u> </u>	KENT DES MOINES SR99 WEST STATION - SECTIONS
	S 272ND REDONDO STATION - SITE PLAN
	S 272ND REDONDO STATION - SECTIONS
	FEDERAL WAY TRANSIT CENTER STATION - SITE PLAN
	FEDERAL WAY TRANSIT CENTER STATION - SECTIONS
S 216TH WEST S	STATION OPTION (POTENTIAL ADDITIONAL STATION)
	SHEET INDEX KEYMAP
	TRACK PLAN AND PROFILE STA 15+00 TO STA 30+00
	TRACK PLAN AND PROFILE STA 30+00 TO STA 56+00
	TRACK PLAN AND PROFILE STA 56+00 TO STA 82+36.28
	S 216TH WEST STATION OPTION - SITE PLAN
	S 216TH WEST STATION OPTION - SECTIONS
11122_01.00_101010	
S 216TH EAST S	TATION OPTION (POTENTIAL ADDITIONAL STATION)
1	SHEET INDEX KEYMAP
	TRACK PLAN AND PROFILE STA 20+00 TO STA 34+00
	TRACK PLAN AND PROFILE STA 34+00 TO STA 59+91.74
	S 216TH EAST STATION OPTION - SITE PLAN
	S 216TH EAST STATION OPTION - SECTIONS
11122_01.00_10.011	
KENT/D	ES MOINES SR 99 MEDIAN STATION OPTION
KENT/D SR99-D00-GX02	ES MOINES SR 99 MEDIAN STATION OPTION SHEET INDEX KEYMAP
SR99-D00-GX02	SHEET INDEX KEYMAP
SR99-D00-GX02 SR99-D1-PP04	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06 FWLE_S99_AP005	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96 KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SITE PLAN
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06 FWLE_S99_AP005 FWLE_S99_AX005	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96 KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SITE PLAN KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SECTIONS
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06 FWLE_S99_AP005 FWLE_S99_AX005	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96 KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SITE PLAN KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SECTIONS DES MOINES SR99 EAST STATION OPTION
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06 FWLE_S99_AP005 FWLE_S99_AX005 KENT/ SR99-E00-GX01	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96 KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SITE PLAN KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SECTIONS DES MOINES SR99 EAST STATION OPTION SHEET INDEX KEYMAP
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06 FWLE_S99_AP005 FWLE_S99_AX005 KENT/ SR99-E00-GX01 SR99-E01-PP04	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96 KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SITE PLAN KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SECTIONS DES MOINES SR99 EAST STATION OPTION SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 17+45.77 TO STA 41+00
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06 FWLE_S99_AP005 FWLE_S99_AX005 KENT/ SR99-E00-GX01 SR99-E01-PP04 SR99-E02-PP05	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96 KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SITE PLAN KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SECTIONS DES MOINES SR99 EAST STATION OPTION SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 17+45.77 TO STA 41+00 TRACK PLAN AND PROFILE STA 41+00 TO STA 67+00
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06 FWLE_S99_AP005 FWLE_S99_AX005 KENT/ SR99-E00-GX01 SR99-E01-PP04 SR99-E02-PP05 SR99-E03-PP06	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96 KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SITE PLAN KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SECTIONS DES MOINES SR99 EAST STATION OPTION SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 17+45.77 TO STA 41+00 TRACK PLAN AND PROFILE STA 41+00 TO STA 67+00 TRACK PLAN AND PROFILE STA 67+00 TO STA 93+00
SR99-D00-GX02 SR99-D1-PP04 SR99-D2-PP05 SR99-D3-PP06 FWLE_S99_AP005 FWLE_S99_AX005 KENT/ SR99-E00-GX01 SR99-E01-PP04 SR99-E02-PP05	SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 10+00 TO STA 26+00 TRACK PLAN AND PROFILE STA 26+00 TO STA 52+00 TRACK PLAN AND PROFILE STA 52+00 TO STA 63+99.96 KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SITE PLAN KENT/DES MOINES SR 99 MEDIAN STATION OPTION - SECTIONS DES MOINES SR99 EAST STATION OPTION SHEET INDEX KEYMAP TRACK PLAN AND PROFILE STA 17+45.77 TO STA 41+00 TRACK PLAN AND PROFILE STA 41+00 TO STA 67+00
	\$R99-A00-GX01 \$R99-A00-GX02 \$R99-A1-PP01 \$R99-A2-PP02 \$R99-A3-PP03 \$R99-A5-PP05 \$R99-A5-PP05 \$R99-A5-PP05 \$R99-A5-PP06 \$R99-A5-PP07 \$R99-A5-PP07 \$R99-A5-PP07 \$R99-A10-PP10 \$R99-A11-PP11 \$R99-A12-PP12 \$R99-A13-PP13 \$R99-A15-PP15 \$R99-A16-PP16 FWLE_SR99_AP009 FWLE_SR99_AP009 FWLE_SR99_AP007 FWLE_SR99_AP003 FWLE_SR99_AP001 FWS99-B2-PP01 FWS99-B2-PP01 FWS99-B3-PP01 FWS99-B3-PP03 FWLE_SR99_AP010 FWLE_SR99_AP010

		/DES MOINES HC CAMPUS STATION OPTION
50	SR99-F00-GX02	SHEET INDEX KEYMAP
51	SR99-F1-PP03	TRACK PLAN AND PROFILE STA 20+00 TO STA 45+00
52	SR99-F2-PP04	TRACK PLAN AND PROFILE STA 45+00 TO STA 71+00
53	SR99-F3-PP05	TRACK PLAN AND PROFILE STA 71+00 TO STA 97+00
54	SR99-F4-PP06	TRACK PLAN AND PROFILE STA 97+00 TO STA 122+00
55	SR99-F5-PP07	TRACK PLAN AND PROFILE STA 122+00 TO STA 134+88.36
56	FWLE_S99_AP004	KENT/DES MOINES HC CAMPUS STATION OPTION - SITE PLAN
57	FWLE_S99_AX004	KENT/DES MOINES HC CAMPUS STATION OPTION - SECTIONS
	KENT/DES MOINES HC CA	MPUS STATION OPTION FROM S. 216TH WEST STATION OPTION
58	SR99-F00-GX02	SHEET INDEX KEY MAP
59	SR99-F6-PP01	TRACK PLAN AND PROFILE STA 15+00 TO STA 30+00
60	SR99-F7-PP02	TRACK PLAN AND PROFILE STA 30+00 TO STA 56+00
	SR99-F8-PP03	TRACK PLAN AND PROFILE STA 56+00 TO STA 30+00
61		
62	SR99-F9-PP04	TRACK PLAN AND PROFILE STA 82+00 TO STA 108+00
63	SR99-F10-PP05	TRACK PLAN AND PROFILE STA 108+00 TO STA 121+52.74
	S 260TH WEST	STATION OPTION (POTENTIAL ADDITIONAL STATION)
64	SR99-G00-GX02	SHEET INDEX KEYMAP
65	SR99-G1-PP05	TRACK PLAN AND PROFILE STA 20+00 TO STA 23+00
66	SR99-G2-PP06	TRACK PLAN AND PROFILE STA 23+00 TO STA 49+00
67	SR99-G3-PP07	TRACK PLAN AND PROFILE STA 49+00 TO STA 75+00
68	SR99-G4-PP08	TRACK PLAN AND PROFILE STA 75+00 TO STA 101+00
69	SR99-G5-PP09	TRACK PLAN AND PROFILE STA 101+00 TO STA 111+87.66
70	FWLE_S99_AP013	S 260TH WEST STATION OPTION - SITE PLAN
	FWLE S99 AX013	S 260TH WEST STATION OPTION - SECTIONS
71	1 WEE_099_AX015	0 200111 WEST STATION OF HON- SECTIONS
	S 260TH EAST	STATION OPTION (POTENTIAL ADDITIONAL STATION)
72	SR99-H00-GX02	SHEET INDEX KEYMAP
73	SR99-H1-PP07	TRACK PLAN AND PROFILE STA 20+00 TO STA 23+00
74	SR99-H2-PP08	TRACK PLAN AND PROFILE STA 23+00 TO STA 49+00
75	SR99-H3-PP09	TRACK PLAN AND PROFILE STA 49+00 TO STA 75+00
76	SR99-H4-PP10	TRACK PLAN AND PROFILE STA 75+00 TO STA 80+98.42
77	FWLE_S99_AP012	S 260TH EAST STATION OPTION - SITE PLAN
78	FWLE_S99_AX012	S 260TH EAST STATION OPTION - SECTIONS
		I - NOT USED
	S 27	2ND REDONDO TRENCH STATION OPTION
79	SR99-J00-GX02	SHEET INDEX KEYMAP
80	SR99-J1-PP08	TRACK PLAN AND PROFILE STA 20+00 TO STA 31+00
81	SR99-J2-PP09	TRACK PLAN AND PROFILE STA 31+00 TO STA 57+00
82	SR99-J3-PP10	TRACK PLAN AND PROFILE STA 57+00 TO STA 83+00
83	SR99-J4-PP11	TRACK PLAN AND PROFILE STA 83+00 TO STA 109+00
84	SR99-J5-PP12	TRACK PLAN AND PROFILE STA 109+00 TO STA 136+00
85	SR99-J6-PP13	TRACK PLAN AND PROFILE STA 135+00 TO STA 161+00
86	SR99-J7-PP14	TRACK PLAN AND PROFILE STA 161+00 TO STA 174+00.00
87	FWLE_S99_AP002	S 272ND REDONDO TRENCH STATION OPTION - SITE PLAN
88	FWLE_S99_AX002	S 272ND REDONDO TRENCH STATION OPTION - SECTIONS
		FEDERAL WAY SR 99 STATION OPTION
89	SR99-K00-GX02	SHEET INDEX KEYMAP
90	SR99-K1-PP15	TRACK PLAN AND PROFILE STA 20+00 TO STA 44+00
	LODGO KO DD40	TRACK PLAN AND PROFILE STA 44+00 TO STA 51+23.50
91	SR99-K2-PP16	
91 92	FWLE_S99_AP008	FEDERAL WAY SR 99 STATION OPTION - SITE PLAN





SR 99 ALTERNATIVE




	SR99 SHEET LAYOUT MATRIX															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	X	Х	Х	Х	Х	Х	Х	X	×	Х	Х	X	Х	Х	X	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	Х	х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	Х	Х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	х	Х	Х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			х	Х	х	Х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	х	х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					х	Х	Х	х	х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	Х	Х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Х	Х






I - NOT USED















APRIL 2015














APRIL 2015













APRIL 2015











APRIL 2015










APRIL 2015














APRIL 2015























APRIL 2015























APRIL 2015







































APRIL 2015













APRIL 2015













APRIL 2015











APRIL 2015



ASSUMPTIONS:

Kent/Des Moines SR 99 West Sta	tion
Alternative(s):	SR 99
Boardings	3,000
Boardings (with 216th Station)	2,500
Boardings (interim terminus)	4,500
Station Configuration	
Terminus / In-Line	Interim Terminus
Station Type	Center Platform - Elevated
Platform Width	34'
Tail track	900'
Crossover	Yes
TPSS	Yes
Program	
KC Metro Ancillary Spaces (SF)	200
ST Ancillary Spaces (SF)	1,800
Total Ancillary Spaces (SF)	2,000
Vertical Circulation	
# of entrances	2
# of escalators	2
# of staircases (patron)	2
# of elevators	2
# of emergency stairs	2
Bus/Paratransit Facilities	
Bus pick-up/drop-off (KCM)	2 bays, one 60' coach each
Bus pick-up/drop-off (ST)	1 bay, two 60' coaches
Rapid Ride	On-street at SR 99
Bus layover (KCM)	2 bays, two 60' coaches each
Bus layover (ST)	1 bay, two 60' coaches
Paratransit	1 permanent, 1 interim
Communications Facility	Tier 2
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	6 spaces
Short-term parking	7 to 10 spaces
Staff parking	4 spaces
Service/emer. vehicle park.	2 spaces, separate lot
Signal bungalow / TPSS park.	2 spaces, dedicated
Long-term patron parking	500 spaces (structure)
Temporary patron parking*	500 spaces (surface)
Total proposed patron parking*	1000 Spaces

^{*}Only required for interim terminus condition



BUS LAYOVER
BUS PICK-UP / DROP OFF
PARATRANSIT
BICYCLE STORAGE
CONSTRUCTION STAGING / PARKING

S

SIGNALIZED INTERSECTION (EXISTING)


S

SIGNALIZED INTERSECTION (PROPOSED)











ASSUMPTIONS:

S 272nd Redondo Station	CD 00
Alternative(s)	SR 99
Boardings	1,500
Boardings (interim terminus)	3,500
Station Configuration	
Terminus / In-Line	Interim Terminus
Station Type	Center Platform - Elevated
Platform Width	34'
Tail track	900'
Crossover	Yes
TPSS	Yes
Program	
KC Metro Ancillary Spaces (SF)	200
ST Ancillary Spaces (SF)	1,800
Total Ancillary Spaces (SF)	2,000
Vertical Circulation	
# of entrances	2
# of escalators	4
# of staircases (patron)	4
# of elevators	2
# of emergency stairs	2
- 1	
Bus/ Paratransit Facilities	
Bus bays (KCM)	2 bays, one 60' coach each
Bus bays (ST)	N/A
Rapid Ride	On-street at SR 99
Bus layover (KCM)	2 bays, one 60' coach each
Bus layover (ST)	N/A
Paratransit	1 permanent, 1 interim Tier 2
Communications Facility	ner z
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	6 spaces
Short-term patron parking	7 to 10 spaces
Staff parking	4 spaces
Service/emer. vehicle park.	2 spaces, separate lot
Signal bungalow / TPSS park.	2 spaces, dedicated
Existing patron parking	700 spaces
Additional patron parking	700 spaces
Total proposed patron parking	1400 spaces (structure)



BUS LAYOVER
BUS PICK-UP / DROP OFF
PARATRANSIT
BICYCLE STORAGE
CONSTRUCTION STAGING / PARKING

STATION AREA FOOTPRINT



SIGNALIZED INTERSECTION (EXISTING)



S


SIGNALIZED INTERSECTION (PROPOSED)








DRAFT EIS - CONCEPTUAL DESIGN



/IE S00 AV007

S 272ND REDONDO STATION SECTIONS



ASSUMPTIONS:

Federal Way Transit Center Statio	
Alternative(s)	SR 99; I-5 to SR 99
Boardings	9,000
Station Configuration	
Terminus / In-Line	Terminus
Station Type	Center Platform - Elevated
Platform Width	34'
Tail track	900'
Crossover	Yes
TPSS	Yes
55	103
Program	
KC Metro Ancillary Spaces (SF)	200
ST Ancillary Spaces (SF)	1,800
Support Services (SF)	5,000
Total Ancillary Spaces (SF)	7,000
Vertical Circulation	
# of entrances	2
# of escalators	3
# of staircases (patron)	3
# of elevators	2
# of emergency stairs	2
Bus/ Paratransit Facilities	
Bus bays (KCM)	2 bays, one 60' coach each
Bus bays (ST)	1 bay, two 60' coaches
Rapid Ride	Transit Island (Existing)
Bus layover (KCM)	3 bays, one 40' coach each
bus layover (KCIVI)	5 bays, one 60' coach each
	(relocated from transit ctr.)
Rus lavover (ST)	1 bay, two 60' coaches
Bus layover (ST) Paratransit spaces	2 spaces
Communications Facility	Tier 3
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	6 spaces
Short-term patron parking	7 to 10 spaces
Staff parking	4 spaces
Support Services parking	15 spaces
Service/emer. vehicle park.	2 spaces, separate lot
Signal bungalow / TPSS park.	2 spaces, dedicated
Existing patron parking	1,190 spaces
Additional patron parking	400 spaces
Total proposed patron parking	1590 spaces (structure)

ANCILLARY SPACES TPSS

CONSTRUCTION STAGING / PARKING

S

SIGNALIZED INTERSECTION (PROPOSED)








DRAFT EIS - CONCEPTUAL DESIGN

FEDERAL WAY TRANSIT CENTER STATION SITE PLAN

APRIL 2015

FWLE_S99_AP003




SQUINDTRANSIT

DRAFT EIS - CONCEPTUAL DESIGN

SECTIONS

FEDERAL WAY TRANSIT CENTER STATION

FWLE_S99_AX003



DRAFT EIS - CONCEPTUAL DESIGN


SR99 SHEET LAYOUT MATRIX																
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	х	х	Х	Х	х	х	х	Х	х	х	Х	х	х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	XX	Х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		х	х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	х	Х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	Х	Х	х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			х	Х	Х	Х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	Х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					Х	Х	Х	Х	Х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	Х	Х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Х	х







I - NOT USED















APRIL 2015












APRIL 2015














ASSUMPTIONS:

S 216th West Station Option	SD 00 SD 00 L L 5
Alternative(s)	SR 99; SR 99 to I-5
Boardings	1,000
Station Configuration	
Terminus / In-Line	In-Line
Station Type	Side Platform - Trench
Platform Width	14'
Tail track	N/A
Crossover	No
TPSS	No
Program	
KC Metro Ancillary Spaces (SF)	N/A
ST Ancillary Spaces (SF)	1,200
Total Ancillary Spaces (SF)	1,200
Total / Welliary Spaces (St /	1,200
Vertical Circulation	
# of entrances	2
# of escalators	5
# of staircases (patron)	5
# of elevators	4
# of emergency stairs	4
- /- · · · · ·	
Bus/ Paratransit Facilities	
Bus bays (KCM)	1 bay southbound at SR 99, two 60
	coaches;
	1 bay westbound at S 216th, two
	60' coaches
Bus bays (ST)	N/A
Rapid Ride	On-street at SR 99
Bus layover (KCM)	N/A
Bus layover (ST)	N/A
Paratransit	1 space
Communications Facility	Tier 2
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	2 spaces
Short-term patron parking	7 to 10 spaces
Staff parking	N/A
Service/emer. vehicle park.	2 spaces, combined
Signal bungalow / TPSS park.	N/A
Patron parking	N/A

STATION PLAZA
VERTICAL CIRCULATION
TICKETING / ENTRY HALL
PLATFORM
ANCILLARY SPACES

TPSS

BUS LAYOVER
BUS PICK-UP / DROP OFF
PARATRANSIT
BICYCLE STORAGE
CONSTRUCTION STAGING

STATION AREA FOOTPRINT

S

SIGNALIZED INTERSECTION (EXISTING)

S

SIGNALIZED INTERSECTION (PROPOSED)


0 50' 100' 200' 400'



DRAFT EIS - CONCEPTUAL DESIGN
S 216TH WEST STATION OPTION
(POTENTIAL ADDITIONAL STATION)
SITE PLAN

APRIL 2015

FWLE_S99_AP010 30



SOUNDTRANSIT FOR VIA

DRAFT EIS - CONCEPTUAL DESIGN
S 216TH WEST STATION OPTION
(POTENTIAL ADDITIONAL STATION)
SECTIONS

FWLE_S99_AX010 31




	SR99 SHEET LAYOUT MATRIX															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	х	Х	Х	Х	х	х	Х	х	х	х	х	х	х	х	х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	х	х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	Х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	Х	Х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	Х	Х	Х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			х	Х	Х	Х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	Х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					х	Х	Х	х	Х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	х	Х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Х	Х






I - NOT USED













APRIL 2015











DRAFT EIS - CONCEPTUAL DESIGN

APRIL 2015



ASSUMPTIONS:

S 216th East Station Option	
Alternative(s)	SR 99; SR 99 to I-5
Boardings	1,000
2001011183	
Station Configuration	
Terminus / In-Line	In-Line
Station Type	Side Platform - Elevated
Platform Width	14'
Tail track	N/A
Crossover	TBD
TPSS	No
Program	
KC Metro Ancillary Spaces (SF)	N/A
ST Ancillary Spaces (SF)	1,200
Total Ancillary Spaces (SF)	1,200
Vertical Circulation	
# of entrances	2
# of escalators	3
# of staircases (patron)	3
# of elevators	5
# of emergency stairs	4
Bus/ Paratransit Facilities	
Bus bays (KCM)	1 bay southbound at SR 99, two 60
	coaches;
	1 bay westbound at S 216th, two
	60' coaches
Bus bays (ST)	N/A
Rapid Ride	On-street at SR 99
Bus layover (KCM)	N/A
Bus layover (ST)	N/A
Paratransit	1 space
Communications Facility	Tier 2
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	2 spaces
Short-term patron parking	7 to 10 spaces
Staff parking	N/A
Service/emer. vehicle park.	2 spaces, combined
Signal bungalow / TPSS park.	N/A
Patron parking	N/A

PLATFORM ANCILLARY SPACES

TPSS

BICYCLE STORAGE CONSTRUCTION STAGING

SIGNALIZED INTERSECTION (PROPOSED)

0 50' 100' 400'







DRAFT EIS - CONCEPTUAL DESIGN S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION) SITE PLAN

APRIL 2015

FWLE_S99_AP011





	SR99 SHEET LAYOUT MATRIX															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	Х	х	х	Х	х	х	х	х	Х	х	х	х	Х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	Х	Х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	Х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	XX	Х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	х	х	Х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			Х	Х	Х	Х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					х	х	Х	х	Х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							Х	х	Х	х						
J - S 272ND REDONDO TRENCH STATION OPTION								Х	Х	Х	Х	Х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															Х	Х







I - NOT USED




















APRIL 2015









PARATRANSIT

BICYCLE STORAGE

CONSTRUCTION STAGING / PARKING



S

S

ASSUMPTIONS:

Kent/Des Moines SR 99 Median Sta	ation Option
Alternative(s):	SR 99
Boardings	3,000
Boardings (with 216th Station)	2,500
Boardings (interim terminus)	4,500
Station Configuration	
Terminus / In-Line	Interim Terminus
Station Type	Center Platform - Elevated
Platform Width	34'
Tail track	900'
Crossover	Yes
TPSS	Yes
Program	
KC Metro Ancillary Spaces (SF)	200
ST Ancillary Spaces (SF)	1,800
Total Ancillary Spaces (SF)	2,000
Vertical Circulation	
# of entrances	2
# of escalators	4
# of staircases (patron)	4
# of elevators	2
# of emergency stairs	2
Bus/ Paratransit Facilities	
Bus bays (KCM)	2 bays, one 60' coach each
Bus bays (ST)	1 bay, two 60' coaches
Rapid Ride	On-street at SR 99
Bus layover (KCM)	2 bays, two 60' coaches each
Bus layover (ST)	1 bay, two 60' coaches
Paratransit	1 permanent, 1 interim
Communications Facility	Tier 2
Parking & Amenities	
Bike storage	900 SF
Patron drop-off	6 spaces
Short-term parking	7 to 10 spaces
Staff parking	4 spaces
Service/emer. vehicle park.	2 spaces, separate lot
Signal bungalow / TPSS park.	2 spaces, dedicated
Long-term patron parking	500 spaces (structure)
Temporary patron parking*	500 spaces (surface)
Total proposed patron parking*	1000 Spaces
	1

^{*}Only required for interim terminus condition









TICKETING / ENTRY HALL

ANCILLARY SPACES

PLATFORM

TPSS

DRAFT EIS - CONCEPTUAL DESIGN

SIGNALIZED INTERSECTION (EXISTING)


SIGNALIZED INTERSECTION (PROPOSED)

KENT/DES MOINES SR 99 MEDIAN STATION OPTION SITE PLAN


APRIL 2015

FWLE_S99_AP005 41

SoundTransit



FWLE_S99_AX005 42




	SR99 SHEET LAYOUT MATRIX															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
A - SR 99 ALTERNATIVE	Х	х	х	х	х	х	х	х	Х	х	х	х	х	х	х	Х
B - S 216TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)	Х	Х	х													
C - S 216TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)		Х	Х													
D - KENT/DES MOINES SR 99 MEDIAN STATION OPTION				Х	Х	х										
E - KENT/DES MOINES SR 99 EAST STATION OPTION				Х	Χ	X	Х									
F - KENT/DES MOINES HC CAMPUS STATION OPTION			Х	Х	Х	Х	Х									
F - KDM HC CAMPUS OPTION FROM S 216TH WEST STATION OPTION						Х	Х	Х	Х	Х						
G - S 260TH WEST STATION OPTION (POTENTIAL ADDITIONAL STATION)					Х	х	Х	х	х							
H - S 260TH EAST STATION OPTION (POTENTIAL ADDITIONAL STATION)							х	Х	Х	Х						
J - S 272ND REDONDO TRENCH STATION OPTION								х	Х	Х	Х	х	Х	Х		
K - FEDERAL WAY SR 99 STATION OPTION															х	х






I - NOT USED











APRIL 2015